HSR (LONDON),
HOUGHTON STREET REVIEW JOURNAL
ISSN: 2058-5519|Impact factor-15.9
http://houghtonstreetreview.com/index.php/hsr

THE NEURODEVELOPMENTAL AND PSYCHOSOCIAL IMPLICATIONS OF EARLY AND EXCESSIVE SCREEN TIME IN EARLY CHILDHOOD AND SCHOOL-AGE CHILDREN: A COMPREHENSIVE REVIEW

Mo'minov Ozodbek Nosirjon o'g'li
The Negative Impact of Gadgets on Children
Doi: https://doi.org/10.5281/zenodo.23114076

Abstract: The rapid integration of touchscreens, smartphones, and mobile devices into daily domestic environments has drastically transformed the developmental landscape for young children. This paper examines the adverse physiological, cognitive, and socio-emotional consequences associated with excessive screen exposure among preschool (ages 2–6) and school-age (ages 7–14) children. Drawing upon recent epidemiological data and neuroimaging studies, we analyze how prolonged gadget use correlates with language delays, executive dysfunction, sleep disturbances via blue-light melatonin suppression, and elevated risks of emotional dysregulation. The study emphasizes the critical period of early brain development, highlighting how passive screen consumption disrupts real-world sensory-motor experiences and interpersonal interactions necessary for emotional intelligence and socialization. Strategic clinical recommendations and screen-limiting guidelines are discussed to mitigate these developmental risks.

Keywords: Screen time, Child development, Neurodevelopmental outcomes, Language delay, Blue-light exposure, Executive function, Digital addiction.

1. INTRODUCTION

In the digital age, mobile electronic devices—collectively referred to as gadgets—have become ubiquitous within early childhood and primary education settings. While technology provides novel avenues for communication and leisure, early and unmonitored access has sparked significant concern among pediatricians, neuroscientists, and educators. The human brain undergoes its most rapid structural and functional organization during early childhood (ages 2–6), a window highly sensitive to environmental input. When physical exploration and caregiver interactions are replaced by screen-based stimulation, neural pathway development can be compromised.

2. NEURODEVELOPMENTAL AND COGNITIVE ADVERSE EFFECTS

2.1 Language Delay and Speech Acquisition

Sensory-motor engagement and direct verbal interactions with caregivers are fundamental to language acquisition. Children under 36 months who spend excessive time on interactive media display lower expressive vocabulary scores. Each 30-minute increase in daily mobile screen time has been associated with a 49% increased risk of expressive speech delay.

HSR (LONDON),
HOUGHTON STREET REVIEW JOURNAL
ISSN: 2058-5519|Impact factor-15.9
http://houghtonstreetreview.com/index.php/hsr

2.2 Executive Functioning and Attention Deficits

Modern digital media relies on rapid visual transitions and hyper-rewarding content (e.g., short-form videos). This triggers rapid dopamine release, setting an unnaturally high sensory threshold. Consequently, children exposed to high doses of media often struggle in low-stimulation environments such as formal classrooms, exhibiting symptoms mimicking Attention Deficit Hyperactivity Disorder (ADHD).

3. PHYSIOLOGICAL AND BEHAVIORAL DISRUPTIONS

3.1 Sleep Architecture and Circadian Rhythms

High-energy visible light (HEV), specifically blue light (450–480 nm wavelengths) emitted by LED screens, suppresses the pineal gland's secretion of **melatonin**. Delayed bedtime, prolonged sleep latency, and reduced REM sleep directly affect memory consolidation, emotional resilience, and overall school performance.

Parameter	Recommended Screen Limit	Average Observed Time	Primary Physical Risk
Preschool (2–5 yrs)	Max 1 hour / day	2.5 – 3.5 hours / day	Speech delay, motor lag
School-Age (6–12 yrs)	Max 1.5–2 hours / day	4.0 – 6.0 hours / day	Sleep deprivation, Myopia

3.2 Sedentary Behavior and Physical Health

Prolonged screen use promotes sedentary habits, contributing directly to childhood obesity, poor postural alignment (e.g., "text neck" syndrome), and an increased incidence of early-onset digital eye strain and myopia.

4. SOCIO-EMOTIONAL DEVELOPMENT

Human empathy and social competence develop through non-verbal cues—reading eye contact, micro-expressions, and body posture. Micro-interactions with screens lack these reciprocal cues. Children who prioritize digital entertainment over peer play display lower scores on socio-emotional competence tests and struggle with emotional self-regulation.

5. CONCLUSION

Excessive and unguided screen exposure during formative developmental years poses measurable threats to speech acquisition, cognitive stamina, circadian physiology, and emotional maturity. Interventions must focus on setting firm boundaries, establishing screen-free zones (such as bedrooms and dinner tables), and prioritizing unstructured real-world play.

HSR (LONDON),
HOUGHTON STREET REVIEW JOURNAL
ISSN: 2058-5519|Impact factor-15.9
http://houghtonstreetreview.com/index.php/hsr

REFERENCES

1. American Academy of Pediatrics. (2016). *Media and Young Minds*. Pediatrics, 138(5), e20162591.
2. World Health Organization. (2019). *Guidelines on physical activity, sedentary behaviour and sleep for children under 5 years of age*. WHO Guidelines Approved by the Guidelines Review Committee.
3. Tamana, S. K., et al. (2019). *Screen-time is associated with inattention problems in preschoolers*. PLOS ONE, 14(4), e0213995.
4. Hutton, J. S., et al. (2020). *Associations Between Screen-Based Media Use and Brain White Matter Integrity in Preschool-Aged Children*. JAMA Pediatrics, 174(1), e193869.