HSR (LONDON),
HOUGHTON STREET REVIEW JOURNAL
ISSN: 2058-5519|Impact factor-15.9
http://houghtonstreetreview.com/index.php/hsr

THE ROLI AND PRACTICAL SIGNIFICANCE OF HEUSLER ALLOYS IN MODERN MATERIALS SCIENCE

Khamraeva Zamira Urinboyevna
Phusics teacher at the Academic Lyceum of Jizzakh State Pedagogical Universite
doi:https://doi.org/10.5281/zenodo.23291381

Abstract. Heusler alloys represent an important class of functional materials with distinctive structural, magnetic, electronic, and thermoelectric properties. Their tunable composition and electronic structure make them promising candidates for spintronic devices, magnetic data storage, thermoelectric energy conversion, sensors, and advanced electronic systems. This article examines the fundamental characteristics of full-Heusler, half-Heusler, and inverse-Heusler compounds, emphasizing their practical significance in modern materials science. The main challenges associated with synthesis, structural ordering, thermal stability, and device integration are also discussed. The analysis is based on a review of published scientific literature and identifies promising directions for future research.

Keywords: Heusler alloys, materials science, spintronics, thermoelectric materials, magnetic properties, electronic structure, energy conversion, functional materials.

Introduction. Modern materials science increasingly focuses on the development of materials whose physical properties can be controlled through chemical composition, crystal structure, and microstructural engineering. The rapid development of microelectronics, information storage, renewable energy technologies, and intelligent sensing systems requires materials with specific combinations of electrical conductivity, magnetic behavior, thermal stability, and mechanical strength. In this context, Heusler alloys have attracted considerable scientific attention.

Heusler alloys are intermetallic compounds formed from combinations of metallic and metalloid elements. They are commonly classified as full-Heusler compounds with the general composition X_2YZ, half-Heusler compounds with the composition XYZ, and inverse-Heusler compounds with alternative atomic ordering. The letters X, Y, and Z represent different constituent elements, and their specific chemical identities determine the material's properties.

The scientific importance of Heusler alloys lies in the fact that their functional behavior cannot always be predicted simply from the properties of their individual elements. Specific atomic arrangements and interactions between electronic states can produce ferromagnetism, half-metallicity, unusual band structures, and useful thermoelectric characteristics. These features create opportunities to design materials for technological applications rather than relying exclusively on naturally occurring material properties [1]. The purpose of this article is to examine the role of Heusler alloys in

HSR (LONDON),
HOUGHTON STREET REVIEW JOURNAL
ISSN: 2058-5519|Impact factor-15.9
http://houghtonstreetreview.com/index.php/hsr

modern materials science, explain their principal functional characteristics, and evaluate their practical applications and remaining technological challenges.

Literature Review. Research on Heusler alloys has developed from the investigation of magnetic intermetallic compounds into a broader field encompassing spintronics, thermoelectricity, electronic structure engineering, and computational materials discovery. Tavares, Yang, and Meyers reviewed the historical development, structural characteristics, physical properties, and technological prospects of Heusler alloys. Their research emphasized the diversity of full-, half-, inverse-, and quaternary Heusler compounds and the importance of computational methods for identifying promising compositions [1]. Hirohata and Lloyd investigated the application of Heusler alloys in metal spintronics. Their review highlighted the potential of half-metallic Heusler compounds as spin-polarized electron sources and examined their relevance to magnetic memory, spin-transfer torque, and spin–orbit torque devices. The authors also emphasized that atomic ordering and interface quality significantly influence device performance [2]. Quinn and Bos examined half-Heusler compounds for thermoelectric power generation. Their analysis demonstrated the importance of composition optimization, electronic transport, phonon scattering, and thermal conductivity in improving thermoelectric performance [3]. Rogl and Rogl reviewed the development of half-Heusler thermoelectric materials over approximately 25 years, evaluating reported performance across a large collection of compositions. Their work illustrates the importance of systematically comparing electrical conductivity, Seebeck coefficient, and thermal conductivity when selecting candidate materials [4]. Despite significant progress, important questions remain regarding the relationship between crystal structure, chemical disorder, transport properties, and long-term device reliability. Consequently, further research should integrate theoretical calculations, experimental characterization, and application-oriented testing.

Research Methodology. This article employs a qualitative literature-review approach to analyze the scientific and practical significance of Heusler alloys. Published review articles and research literature concerning their structural, magnetic, electronic, and thermoelectric characteristics were examined.

The analysis was organized around four principal dimensions:

1. Crystal structure and chemical composition.
2. Electronic and magnetic properties.
3. Technological applications.
4. Materials-design challenges and future research directions.

A comparative approach was used to distinguish the functional roles of full-Heusler and half-Heusler compounds. Particular attention was paid to the relationships between composition, atomic ordering, physical properties, and potential applications. The study is a literature-based analysis rather than an original experimental investigation. Therefore, no new laboratory measurements or independently generated quantitative performance results are claimed.

HSR (LONDON),
HOUGHTON STREET REVIEW JOURNAL
ISSN: 2058-5519|Impact factor-15.9
http://houghtonstreetreview.com/index.php/hsr

Results and Discussion. The functional properties of Heusler alloys are closely associated with their ordered crystal structures. Changes in atomic positions, elemental composition, and degree of chemical ordering can influence electron transport, magnetic interactions, and thermal conductivity. Full-Heusler compounds generally have the composition X_2YZ and commonly exhibit an ordered cubic structure. Half-Heusler compounds have the composition XYZ and are often described using a structure derived from the MgAgAs-type arrangement. In these materials, one of the four interpenetrating face-centered-cubic sublattices characteristic of the idealized full-Heusler structure is unoccupied. Inverse-Heusler compounds possess a different arrangement of constituent atoms, which can lead to distinct magnetic and electronic properties. These structural variations allow researchers to investigate a broad range of physical behaviors within a related family of materials [1].

Table 1. Principal classes of Heusler alloys and their characteristics

Type	General composition	Principal characteristics	Potential applications
Full-Heusler	X_2YZ	Diverse magnetic and electronic properties; some compounds exhibit half-metallicity	Spintronics, magnetic memory, sensors
Half-Heusler	XYZ	Many compounds combine useful electrical transport, thermal stability, and mechanical strength	Thermoelectric generators, electronic components
Inverse-Heusler	Composition-dependent, often X_2YZ	Alternative atomic ordering and tunable magnetic behavior	Spintronic devices, magnetic materials
Quaternary Heusler	XX′YZ	Additional compositional flexibility and opportunities for property optimization	Functional electronics and advanced magnetic systems

The table summarizes general tendencies rather than universal properties. Actual performance depends on the specific composition, phase stability, atomic ordering, synthesis conditions, and operating environment.

Magnetic properties and spintronics. One of the most important research directions involving Heusler alloys is spintronics, a field that exploits both the charge and spin of electrons. Conventional electronics primarily uses electrical charge, whereas spintronic devices also manipulate electron-spin orientation to control information processing and storage. Certain Heusler alloys exhibit half-metallic behavior. Ideally, such materials have metallic electronic states for one spin channel and a band gap for the other. This electronic structure can support a high degree of spin polarization, making these compounds promising candidates for generating and transporting spin-polarized currents [2].

Potential applications include:

- Magnetic tunnel junctions and spin-transfer torque devices.

HSR (LONDON),
HOUGHTON STREET REVIEW JOURNAL
ISSN: 2058-5519|Impact factor-15.9
http://houghtonstreetreview.com/index.php/hsr

- Magnetic random-access memory (MRAM).
- Spin-dependent sensors and magnetic readout systems.
- Research into spin–orbit torque and low-energy magnetization switching.

The practical value of these materials depends not only on their intrinsic magnetic properties but also on their behavior when fabricated into thin films and multilayer structures. Atomic disorder, interfacial mixing, defects, and temperature-dependent spin fluctuations may reduce spin polarization and magnetoresistance. Therefore, controlling film growth and interface quality is essential for translating laboratory findings into reliable electronic components [2].

Thermoelectric energy conversion. Another major application of Heusler alloys is thermoelectric energy conversion. Thermoelectric materials can convert a temperature difference into electrical energy through the Seebeck effect. Conversely, an electrical current can produce heating or cooling through thermoelectric effects. Half-Heusler compounds are particularly promising because many exhibit good mechanical strength, relatively high thermal stability, and useful electronic transport characteristics. These properties make them potential candidates for medium- and high-temperature energy conversion systems [3, 4].

Thermoelectric performance is commonly evaluated using the dimensionless figure of merit:

[ZT=\frac{S^2\sigma T}{\kappa}]

where:

- (S) is the Seebeck coefficient;
- (\sigma) is electrical conductivity;
- (T) is absolute temperature;
- (\kappa) is total thermal conductivity.

A higher (ZT) generally indicates greater potential for efficient thermoelectric conversion, although the efficiency of a complete device also depends on temperature gradients, contact resistance, material compatibility, and system design. A central challenge is that electrical and thermal transport properties are interdependent. Increasing electrical conductivity may improve performance, but high thermal conductivity can reduce the temperature gradient across the material. Researchers therefore investigate approaches such as compositional substitution, nanostructuring, defect engineering, and microstructural optimization to reduce heat transport without excessively impairing electrical conduction [3, 4]. Potential practical uses include waste-heat recovery in industrial equipment, thermal management, and electricity generation in environments where conventional mechanical energy-conversion systems are difficult to implement.

Electronic structure engineering and computational materials design. The diversity of Heusler compounds makes them suitable for computational materials discovery. First-principles calculations, including density functional theory, can be used to investigate the stability, electronic band structure, magnetic moments, and elastic properties of candidate compositions before or alongside experimental synthesis. Computational screening can help identify compounds with desirable combinations of

HSR (LONDON),
HOUGHTON STREET REVIEW JOURNAL
ISSN: 2058-5519|Impact factor-15.9
http://houghtonstreetreview.com/index.php/hsr

properties, reducing the number of compositions that must be investigated experimentally. High-throughput calculations and machine-learning methods can further assist researchers in identifying relationships between chemical composition, crystal structure, and predicted performance [1].

Computational predictions must be interpreted carefully. Idealized calculations may not fully account for defects, finite-temperature effects, chemical disorder, or imperfections introduced during synthesis. Experimental validation remains necessary before a compound can be considered suitable for a practical application.

Practical significance in modern technology. The practical importance of Heusler alloys lies in their potential to serve different technological functions through composition and structural control.

Table 2. Applications and the material properties required

Application area	Relevant material property	Expected practical benefit
Spintronics	High spin polarization and suitable magnetic switching behavior	More efficient magnetic information processing
Magnetic memory	Stable magnetic states and controllable magnetization	Non-volatile data storage
Thermoelectric systems	Favorable Seebeck coefficient and low enough thermal conductivity	Recovery of electrical energy from waste heat
Magnetic sensors	Predictable magnetic and magnetoresistive response	Detection of magnetic fields and related signals
Functional electronic materials	Tunable band structure and electrical transport	Development of specialized electronic components
Materials research	Broad compositional and structural flexibility	Discovery of new multifunctional compounds

These applications are at different levels of technological maturity. The existence of promising physical properties does not automatically mean that every Heusler composition is commercially viable. Each material must be evaluated in terms of performance, reproducibility, cost, stability, and compatibility with existing manufacturing technologies.

Main challenges and future research directions. Despite their potential, Heusler alloys face several challenges that must be addressed before their broader industrial adoption. First, obtaining the required phase and degree of atomic ordering can be difficult. Different synthesis and heat-treatment conditions may produce competing phases or structural defects that alter the intended properties. Second, the performance of thin films and multilayer devices depends strongly on interface quality. Even a material with favorable bulk properties may perform poorly if interfacial reactions or atomic mixing disrupt spin transport. Third, thermoelectric applications require a balanced combination of electrical and thermal transport properties. Improvements in one parameter may be offset by deterioration in another. Fourth, the economic and environmental implications of constituent elements

HSR (LONDON),
HOUGHTON STREET REVIEW JOURNAL
ISSN: 2058-5519|Impact factor-15.9
http://houghtonstreetreview.com/index.php/hsr

must be considered. Some compositions may depend on relatively expensive or supply-sensitive elements, which can limit their suitability for large-scale deployment.

Future research should therefore focus on the following priorities: Developing reproducible synthesis methods that improve phase purity and atomic ordering. Designing compositions with improved magnetic and thermoelectric properties. Combining first-principles calculations, machine learning, and experimental validation. Improving the durability of thin films, interfaces, and complete devices. Evaluating material cost, elemental availability, and environmental impacts. Testing performance under realistic operating conditions rather than relying exclusively on ideal laboratory measurements. Addressing these issues will help establish which Heusler alloys offer the strongest prospects for practical use in advanced materials technologies.

Conclusion. Heusler alloys represent a versatile family of functional materials with considerable significance for modern materials science. Their distinctive crystal structures and tunable chemical compositions enable a wide range of magnetic, electronic, and thermoelectric behaviors. Their most promising applications include spintronic devices, magnetic memory, sensors, and thermoelectric systems for converting waste heat into electricity. Full-Heusler compounds are especially relevant to investigations of magnetic and spin-dependent electronic behavior, while many half-Heusler compounds are attractive candidates for thermoelectric applications. Nevertheless, practical implementation requires careful control of atomic ordering, phase stability, microstructure, and device interfaces. Further advances will depend on integrating computational prediction with experimental synthesis and application-oriented testing. In conclusion, Heusler alloys provide an important platform for developing multifunctional materials. Their continued investigation may contribute to improved information-storage technologies, more effective energy recovery, and the design of next-generation electronic and magnetic devices.

References

1. Tavares, S., Yang, K., & Meyers, M. A. (2023). Heusler alloys: Past, properties, new alloys, and prospects. Progress in Materials Science, 132, 101017. https://doi.org/10.1016/j.pmatsci.2022.101017
2. Hirohata, A., & Lloyd, D. C. (2022). Heusler alloys for metal spintronics. MRS Bulletin, 47, 593–599. https://doi.org/10.1557/s43577-022-00350-1
3. Quinn, R. J., & Bos, J.-W. G. (2021). Advances in half-Heusler alloys for thermoelectric power generation. Materials Advances, 2, 6246–6266. https://doi.org/10.1039/D1MA00707F
4. Rogl, G., & Rogl, P. F. (2023). Development of thermoelectric half-Heusler alloys over the past 25 years. Crystals, 13(7), 1152. https://doi.org/10.3390/cryst13071152
5. Li, W., Ghosh, S., Liu, N., & Poudel, B. (2024). Half-Heusler thermoelectrics: Advances from materials fundamental to device engineering. Joule, 8(5), 1274–1311. https://doi.org/10.1016/j.joule.2024.03.016

HSR (LONDON),
HOUGHTON STREET REVIEW JOURNAL
ISSN: 2058-5519|Impact factor-15.9
http://houghtonstreetreview.com/index.php/hsr

6. Elphick, K., Frost, W., Samiepour, M., Kubota, T., Takanashi, K., Sukegawa, H., Mitani, S., & Hirohata, A. (2021). Heusler alloys for spintronic devices: Review on recent development and future perspectives. Science and Technology of Advanced Materials, 22(1), 235–271. https://doi.org/10.1080/14686996.2020.1812364