HSR (LONDON),
HOUGHTON STREET REVIEW JOURNAL
ISSN: 2058-5519|Impact factor-15.9
http://houghtonstreetreview.com/index.php/hsr

CORPUSCULAR ELEMENTS OF BLOOD

Scientific supervisor: **Asatullayev Rustamjon Bakhtiyarovich**
Stuudent: **Normurodova Muxlisa**
Doi: https://doi.org/10.5281/zenodo.23834512

Abstract: The corpuscular elements of blood are the cellular components responsible for several essential physiological processes, including oxygen transport, immune defense, and blood coagulation. They consist of erythrocytes (red blood cells), leukocytes (white blood cells), and thrombocytes (platelets). Each component has a specialized structure and function that contributes to maintaining homeostasis and protecting the human body. Erythrocytes transport oxygen from the lungs to body tissues and carry a portion of carbon dioxide back to the lungs. Leukocytes protect the body against infectious agents and other foreign substances, while platelets play a crucial role in preventing blood loss by participating in hemostasis. This article examines the structure, formation, functions, and clinical significance of the corpuscular elements of blood. Understanding these components is essential for interpreting blood test results, diagnosing hematological disorders, and evaluating overall health.

Keywords: blood, corpuscular elements, erythrocytes, leukocytes, thrombocytes, hemoglobin, immunity, blood coagulation, hematopoiesis, hematology.

Blood is a specialized connective tissue consisting of plasma and formed elements. Plasma is the liquid component that transports nutrients, hormones, proteins, electrolytes, and waste products throughout the body. The formed elements, also known as corpuscular elements, include erythrocytes, leukocytes, and platelets. Although these components differ in their structure and biological functions, they work together to maintain the normal functioning of the circulatory system. Their production, maturation, and activity are essential for oxygen delivery, immune protection, and the prevention of excessive bleeding.

Erythrocytes, commonly known as red blood cells, are the most numerous formed elements of blood. In healthy adults, their concentration is generally around 4–6 million cells per microliter, although normal ranges vary according to age, sex, physiological conditions, and laboratory standards. Mature human erythrocytes have a distinctive biconcave disc shape, which increases their surface area and facilitates the exchange of respiratory gases. They lack a nucleus and most organelles, providing more space for hemoglobin, the protein responsible for oxygen transport. Hemoglobin binds oxygen in the lungs and releases it in tissues where oxygen is required for cellular respiration. Erythrocytes also transport a portion of carbon dioxide from tissues to the lungs. They are produced in the red bone marrow through a process called erythropoiesis, which is stimulated by erythropoietin, a hormone produced primarily by the kidneys. The average lifespan of a circulating erythrocyte is approximately 120 days. A reduced number of red blood cells or insufficient hemoglobin may lead to anemia, which can cause fatigue, weakness, dizziness, and shortness of breath.

Leukocytes, or white blood cells, are essential components of the immune system. Unlike erythrocytes, they contain nuclei and are capable of responding to infections, tissue injury, and foreign substances. Their primary function is to protect the body against pathogens and contribute to immune regulation.

HSR (LONDON),
HOUGHTON STREET REVIEW JOURNAL
ISSN: 2058-5519|Impact factor-15.9
http://houghtonstreetreview.com/index.php/hsr

Leukocytes are divided into five major types: neutrophils, lymphocytes, monocytes, eosinophils, and basophils. Neutrophils are particularly important in the early defense against bacterial and fungal infections because they can engulf and destroy microorganisms through phagocytosis. Lymphocytes include B cells, T cells, and natural killer cells, which contribute to antibody production, cellular immunity, and the destruction of infected or abnormal cells. Monocytes circulate in the blood and can develop into macrophages and other specialized cells in tissues, where they participate in phagocytosis and immune responses. Eosinophils are involved in defense against certain parasites and contribute to allergic reactions, while basophils release substances such as histamine that participate in inflammatory and allergic responses. The total leukocyte count and the proportions of different leukocyte types can provide valuable information about infections, inflammation, immune disorders, and certain blood cancers.

Thrombocytes, commonly called platelets, are small, nucleus-free cell fragments derived from large bone marrow cells known as megakaryocytes. Their principal function is to prevent excessive bleeding through a process called hemostasis. When a blood vessel is damaged, platelets adhere to the injured area, become activated, and aggregate to form an initial platelet plug. They also release substances that promote further platelet activation and support the coagulation cascade, which leads to the formation of a more stable fibrin clot. Platelets therefore play a critical role in maintaining the integrity of blood vessels and preventing blood loss. The normal platelet count in adults is generally approximately 150,000–450,000 per microliter of blood. A low platelet count, known as thrombocytopenia, can increase the risk of bleeding, whereas an abnormally high platelet count, called thrombocytosis, may be associated with an increased risk of clotting in certain circumstances.

The formation of the corpuscular elements of blood occurs primarily in the red bone marrow through a process known as hematopoiesis. Hematopoietic stem cells differentiate into specialized blood cell lineages under the influence of growth factors, hormones, and other regulatory signals. Erythropoiesis produces red blood cells, leukopoiesis contributes to the formation of white blood cells, and thrombopoiesis produces platelets. The production of these elements is carefully regulated to meet the body's changing physiological needs. For example, reduced oxygen availability can stimulate increased erythropoietin production and subsequently enhance red blood cell formation. Similarly, infections can stimulate changes in leukocyte production, while thrombopoietin regulates platelet production.

The examination of corpuscular elements is an important part of modern medical diagnosis. A complete blood count (CBC) measures the numbers of erythrocytes, leukocytes, and platelets, together with additional parameters such as hemoglobin concentration, hematocrit, and red blood cell indices. A differential white blood cell count identifies the relative proportions of different leukocyte types. These tests help healthcare professionals detect and monitor conditions such as anemia, infections, inflammatory diseases, bleeding disorders, and hematological malignancies. In some cases, a peripheral blood smear is examined under a microscope to assess the size, shape, and appearance of blood cells. Abnormal findings may indicate the need for further laboratory investigations or specialized medical evaluation.

In conclusion, the corpuscular elements of blood are indispensable for maintaining human health and physiological balance. Erythrocytes facilitate respiratory gas transport, leukocytes provide immune protection, and platelets contribute to hemostasis and blood clot formation. Their production and activity are closely regulated to ensure that the body receives sufficient oxygen, responds effectively

HSR (LONDON),
HOUGHTON STREET REVIEW JOURNAL
ISSN: 2058-5519|Impact factor-15.9
http://houghtonstreetreview.com/index.php/hsr

to harmful agents, and maintains vascular integrity. Understanding the structure and functions of these elements is fundamental to human anatomy, physiology, hematology, and clinical medicine. The routine examination of blood cells remains one of the most valuable tools for identifying diseases and assessing a patient's general health.

References:

1. Hall, J. E., & Hall, M. E. (2021). *Guyton and Hall Textbook of Medical Physiology* (14th ed.). Elsevier.
2. Hoffbrand, A. V., & Steensma, D. P. (2019). *Hoffbrand's Essential Haematology* (8th ed.). Wiley-Blackwell.
3. Kaushansky, K., Lichtman, M. A., Prchal, J. T., Levi, M. M., Press, O. W., Burns, L. J., & Caligiuri, M. (Eds.). (2021). *Williams Hematology* (10th ed.). McGraw Hill.
4. Rodak, B. F., Keohane, E. M., Fritsma, G. A., & Doig, K. (2020). *Hematology: Clinical Principles and Applications* (6th ed.). Elsevier.
5. Mescher, A. L. (2021). *Junqueira's Basic Histology: Text and Atlas* (16th ed.). McGraw Hill.
6. McPherson, R. A., & Pincus, M. R. (Eds.). (2021). *Henry's Clinical Diagnosis and Management by Laboratory Methods* (24th ed.). Elsevier.